CONTENTS OF VOLUME 29 (1988)

Blast injuries
O. B. Adler and A. Rosenberger 1

Pulmonary artery sling—Diagnosis by magnetic resonance imaging
N. Malmgren, S. Laurin and N.-R. Lundström . 7

Wegener's granulomatosis in North India—Radiologic manifestations in eleven patients
P. Bambery, S. Katariya, V. Sakhuja, U. Kaur, D. Behera, S. K. Malik and S. D. Deodhar . . . 11

Control of hepatic hemorrhage by transcatheter embolization with Ethibloc
W. Jaschke and J. Hoevels 15

Effect of interferon on T1 relaxation times of liver metastases from endocrine gastrointestinal tumours
T. Andersson, B. Eriksson, A. Hemmingsson, B. Jung, E. Lindh, K.-Å. Thuomas and K. Öberg . 21

Three-dimensional demonstration of liver and spleen by a computer graphics technique
T. Kashiwagi, N. Mitsutani, T. Koizumi and K. Kimura 27

Distribution of water, fat, and metals in normal liver and in liver metastases influencing attenuation on computed tomography
J. Ueda, Y. Kobayashi, Y. Kenko, H. Koike, T. Kubo, Y. Takano and K. Hara 33

Ultrasonography in acute gallbladder perforation
M. Soiva, M. Pamilo, M. Päivänsalo, M. Taavitsainen and I. Suramo 41

Radiologic diagnosis of gastro-oesophageal reflux by means of graded abdominal compression
S.-G. Fransson, H. Sökjer, K.-E. Johansson and L. Tibbling 45

Effect of glucagon-(1–21)-peptide on gastroduodenal motility during upper gastrointestinal examination —Randomized trials
C. Strandberg, P. Falkenløve, S. Dorph, S. H. Jakobsen and H. S. Thomsen 49

Water-soluble contrast media in radiography of small bowel obstruction—Comparison of ionic and non-ionic contrast media
A. Stordahl, F. Laerum, T. Gjølberg and I. Enge 53

Direct diverticular inguinal hernia
O. Ekberg and K. Kullenberg 57

Magnetic resonance imaging of renal masses at 0.02 tesla
L. Ekelund, S.-O. Hietala, B. Ljungberg, H. Lotz and G. Wickman 61

Computed tomography of the brain in cases with venous vasculitis compared with an age-matched reference group
J. Hannerz, K. Ericson, G. Bergstrand, B.-M. Berggren and G. Edman 65

Emergency magnetic resonance examinations of patients with spinal cord symptoms
E.-M. Larsson, S. Holtås and S. Cronqvist . . . 69

In vivo magnetic resonance imaging and ^{31}P spectroscopy of large human brain tumours at 1.5 tesla
C. Thomsen, K. E. Jensen, E. Achten and O. Henriksen 77

Effect of training and experience on radiologic diagnostic performance in midfacial trauma
J. Kinnunen, J. H. Göthlin and S. Tötterman . 83

Vertebral bone mineral measurement using dual photon absorptiometry and computed tomography
S. Eriksson, B. Isberg and U. Lindgren 89

Carpal trauma—A diagnostic problem
C. Sollerman 95

The scaphoid fat stripe in the diagnosis of carpal trauma
J. Langer Andersen, P. Grøn and O. Langhoff 97

Skeletal scintigraphy of the wrist in suggested scaphoid fracture
J. Brismar 101

Intraosseous arteriovenous malformations mimicking malignant disease
S. J. Savader, B. L. Savader and R. R. Otero . . 109

Computed tomography in the diagnosis and treatment of mediastinal abnormalities in children
K. Ivancev, A. Halldorsdottir, S. Laurin, S. Sandström, A. Békássy, S. Garwicks and T. Wiebe 115

Scintigraphic evaluation of traumatic splenic lesions in children
U. Erasmie, W. Mortensson, U. Persson and K. Lännergren 121

Renal parenchymal volume in children—Normal values assessed by ultrasonography
S. Troell, U. Berg, B. Johansson and I. Wikstad 127

Intravenous injection of ioxilan, iohexol and diatrizoate—Effects on urine profiles in the rat
H. S. Thomsen, S. Dorph, T. Mygind, M. Sovak, H. Nielsen, H. Rygaard, S. Larsen, P. Skaarup, L. Hemmingsen and J. Holm 131

False negative sonographic finding in emphysematous cholecystitis
N. D. Hawass 137

Monitoring of pancreatic graft perfusion by first passage radionuclide angiography
H. S. Thomsen, K. Rasmussen, F. Burcharth and S. L. Nielsen 138
Magnetic resonance imaging with maximum contrast between two selected tissues composed of recordings with three repetition times
B. Jung, A. Ericsson, A. Hemmingsson, G. O. Sperber and K.-Å. Thuomas 140
Correspondence 143
Book reviews 144
Current trends in the management of urinary stones
T. P. Smith, W. R. Castaneda-Zuniga, M. D. Darcy, A. H. Cragg, D. W. Hunter and K. Amplatz 145
Ultrasonography of the kidney following renal biopsy in children
T. Nybonde and W. Mortensson 151
Urographic renal size in acute pyelonephritis in childhood
B. Johansson, S. Troell and U. Berg 155
Ultrasonography in undescended testes
T. E. Bjerklund Johansen and A. Larmo 159
Suprapubic micturition cystourethrography
S. H. Mohammed 165
Computed tomography in opportunistic lung infections
H. Hartelius 171
Non-invasive measurement of stroke volume and left ventricular ejection fraction—Radionuclide cardiography compared with left ventricular cardioangiography
H. Kelbæk, J. H. Svendsen, J. Aldershvile, K. Folke and S. L. Nielsen 175
Computed tomography after lumbar disc surgery
E. Ilkko, S. Lähde, J. Koivukangas and P. Jalovaara 179
Juxta-articular erosions in reflex sympathetic dystrophy
H. J. Griffiths and P. Virtama 183
Trochanteric fractures—Classification and mechanical stability in McLaughlin, Ender and Richard osteosynthesis
K. Herrlin, T. Strömberg, L. Lidgren, A. Wallöe and H. Pettersson 189
Intra-arterial cis-platinum infusion with sodium thiosulfate protection and angiotensin II induced hypertension for treatment of hepatocellular carcinoma
S. Onohara, H. Kobayashi, Y. Itoh and S. Shinohara 197
Ultrasonography and gallbladder perforation in acute cholecystitis
L. Forsberg, R. Andersson, E. Hederström and K.-G. Tranberg 203
Fatty meal provocation monitored by ultrasonography—A method to diagnose ambiguous gallbladder disease
E. Hederström, L. Forsberg, P. Herlin and T. Holmin 207
Catheter perforation of distal oesophagus with doudenal re-entry of catheter—Report of a case
T. Bundgaard, H. Kristensen and F. Lesak . . 211
Ultrasonically guided fine needle aspiration of suggested enlarged parathyroid glands
S. Karstrup, A. Glenthøj, S. Torp-Pedersen, L. Hegedüs and H. H. Holm 213
Effect of alcohol intake on the radiographic quality in patients with midfacial trauma
J. Kinnunen and J. H. Göthlin 217
Hyperostosis cranii—Radiography and scintigraphy compared
H. Jacobsson and M. Haverling 223
Magnetic resonance imaging and the acquired immunodeficiency syndrome dementia complex
S. Ekholm and J. H. Simon 227
Comparison of different pulse sequences for in vivo determination of T1 relaxation times in the human brain
L. Kjær and O. Henriksen 231
Local blood-brain barrier penetration following systemic contrast medium administration—A case report and an experimental study
R. Utz, S. E. Ekholm, L. Isaac, M. Sands and D. Fonte 237
Ionic and non-ionic contrast media used for contrast-enhanced computed tomography in experimental pancreatitis
L. Kivisaari, P. Nuutinen, A. Lehtola, A. Saari, P. Pitkäranta, C.-G. Standertskjöld-Nordenstam, M. Lempinen and T. Schröder 243
Addition of local anesthetics to contrast media—II—Increase of acute mortality in mice with intravenous contrast administration
P. Nilsson, T. Almén, K. Golman, K. Jonsson and U. Nyman 247
Bone scintigraphy in staging of bladder cancer
J. Brismar and T. Gustafsson 251
Abstracts of theses 253
Book reviews 254
On the work of the radiologist—Separation of image capture from image display
S. Balter 257
Digital radiography of the spine, large bones and joints using stimulable phosphor—Early clinical experience
H. Pettersson, P. Aspelin, E. Boijsen, K. Herrlin and N. Egund 267
Digital urography using stimulable phosphor—An experimental study in the rabbit
H. Pettersson, P. Aspelin and E. Boijsen 273
Digital radiography using laser stimulated lumines-

cence for evaluation of urinary calcifications
P. Aspelin, H. Pettersson and E. Boijsen 277
Non-palpable breast lesions—Diagnostic criteria and preoperative localization
P. Hallgrimsson, R. Kåresen, K. Årtun and A. Skjennald 285
Computed tomography in primary non-seminomatous germ cell tumors of the mediastinum
V. Blomlie, H. H. Lien, S. D. Fosså, A. B. Jacobsen and A. E. Stenwig 289
Large-image intensifier photoflourography and conventional radiography in pulmonary emphysema—Correlation with computed tomography
H. Manninen, K. Partanen, S. Soimakallio and H. Rytkönen 293
Increased arterial wall stiffness and thickness in medium-sized arteries in patients with insulin-dependent diabetes mellitus
T. Christensen and B. Neubauer 299
Repeat femoral arteriography in hyperlipidemic patients—A study of progression and regression of atherosclerosis
U. Erikson, G. Helmius, A. Hemmingsson, G. Ruhn and A. G. Olsson 303
Quantitation of atherosclerosis in femoral arteriography with ECG gated exposures
S. Nilsson, I. Berglund, H. Bylund, U. Erikson, G. Helmius, A. Hemmingsson, I. Holme, G. Stenport and G. Walldius 311
Significant reduction of the echogenicity of the compressed cavernous hemangioma
K. Choji, M. Shinohara, T. Nojima, K. Kusumoto, Y. Une, R. N. Glazer and T. Isomatsu . . 317
Quantitative single photon emission computed tomography applied to a comparison of propanetetraphosphonate and albumin colloid for liver and spleen scintigraphy
B. Axelsson and H. Jacobsson 321
Transluminal angioplasty of a stenotic surgical splenorenal shunt
B. Van Beers, A. Roche and P. Cauquil 327
Radiographic findings in overlooked colon carcinomas—A retrospective analysis
F.-T. Fork 331
Transanorectal ultrasonography in anal carcinoma—A prospective study of 21 patients
S. Goldman, B. Glimelius, U. Norming, L. Påhlman and U. Seligson 337
Ultrasonography and computed tomography in pancreatic malignancy
M. Päivänsalo and S. Lähde 343
Roentgenologic assessment of spondylolisthesis—I—A study of measurement variations
B. Danielsson, K. Frennered and L. Irstam . . 345
Computed tomography in low back pain and after myelography—A qualitative comparison
M. K. J. Fagerlund 353
Comparison of two- and three-dimensional methods for assessment of orientation of the total hip prosthesis
K. Herrlin, H. Pettersson and G. Selvik 357
The percentage of migration as indicator of femoral head position
O. Eklöf, H. Ringertz and L. Samuelsson . . . 363
Prediction of the stability of minimally displaced fractures of the lateral humeral condyle
S. Thönell, W. Mortensson and B. Thomasson . 367
Contrast media induced ventricular fibrillation during coronary angiography in dogs
K. Hayakawa, K. Yamashita and Y. Ishii 371
Wheat fibre before radiography of the large bowel
F.-T. Fork 375
A 'split-away technique' for percutaneous nephrostomy
P. Aspelin and P. Nilsson 376
Validity of renal split function by single probe renography in hypertensive patients—A comparison with gamma camera scintigraphy
H. S. Thomsen, K. Hvid-Jacobsen and S. L. Nielsen 377
Patient exposure when using $^{99}Tc^{m}$-DTPA for evaluation of cerebrospinal fluid shunt patency
R. Jonson, J. Ahlberg, S. Mattsson, C. Wikkelsø and S. Lindberg 378
Abstracts of theses 381
Book reviews 384
Normal and anomalous structures simulating retroperitoneal lymphadenopathy at computed tomography
H. H. Lien and K. Talle 385
Lymphography and computed tomography in lymph node metastases from malignant melanoma
E. A. Abdi and T. Terry 391
Image quality in radiography of midfacial trauma
J. Kinnunen 395
Computed tomography of the oropharynx in obstructive sleep apnea
S.-G. Larsson, T. Gislason and C. E. Lindholm 401
Cineradiography in closed and open pharyngeal swallow
M. Birch-Iensen, P. S. Borgström and O. Ekberg 407
Chest radiography in acute traumatic rupture of the thoracic aorta
F. M. Heystraten, G. Rosenbusch, L. M. Kingma, L. M. Lacquet, Th. de Boo and W. A. Lemmens 411
Cardiac output determination during intravenous cardiography using x-ray fluorescence analysis
M. Boijsen, F. Goss, L. Jacobsson, C. Lamm, D. Schlossman, L. Björneld and U. Tylén 419
Internal diameter of the common femoral artery in

patients with insulin-dependent diabetes mellitus
T. Christensen and B. Neubauer 423
Inferior phrenic artery embolization in the treatment of hepatic neoplasms
G. Duprat, C. Charnsangavej, S. Wallace and C. H. Carrasco 427
Asymptomatic abdominal hydatidosis detected by ultrasonography
B. Frider, C. A. Losada, E. Larrieu and O. de Zavaleta 431
Computed tomography of invasive bladder carcinoma after diagnostic transurethral resection
E. M. Sager, K. Talle, L. Lindsköld, S. D. Fosså, O. Kaalhus, N. B. Johannessen and S. Ous 435
Position, orientation and component interaction in dislocation of the total hip prosthesis
K. Herrlin, G. Selvik, H. Pettersson, P. Kesek, R. Önnerfält and A. Ohlin 441
Pain as an indicator of bone metastasis
E. Palmer, B. Henrikson, K. McKusick, H. W. Strauss and F. Hochberg 445
Radiography and scintigraphy in the assessment of early gonarthrosis
N. Egund, S. Frost, J. Brismar and T. Gustafson 451
Ultrasonography of the head in rheumatoid arthritis
L. De Flaviis, P. Scaglione, R. Nessi, R. Ventura and G. Calori 457
Triple-photon energy absorptiometry in the measurement of bone mineral
R. Jonson, B. Roos and T. Hansson 461
Bone mass determination from microradiographs by computer-assisted videodensitometry—I—Methodology
K.-G. Strid and P. Kälebo 465
Evaluation of biexponential relaxation processes by magnetic resonance imaging—A phantom study
L. Kjær, C. Thomsen, H. B. W. Larsson, O. Henriksen and P. Ring 473
Survey of dental radiographic equipment and radiation doses in Finland
R. Havukainen 481
Effect of iohexol and diatrizoate on pulmonary arterial pressure following pulmonary angiography—A clinical comparison in man
H. Tajima, T. Kumazaki, N. Tajima and K. Ebata 487
Effects of intravenous injection of diatrizoate, iohexol or ioxilan on renal size, urine profiles and blood profiles in the rabbit
H. Rygaard, S. Dorph, H. S. Thomsen, T. Mygind, H. Nielsen, S. Larsen, P. Skaarup, L. Hemmingsen and J. Holm 491
Computed tomography in patients with dementia probably due to toxic encephalopathy
T. Skjødt, K. F. Torfing and H. Teisen 495
Optical spectroscopy—Pre-mammography marker
R. L. Egan and P. D. Dolan 497
Orbital phlebography for differentiation between multiple sclerosis and venous vasculitis in subacute blindness
J. Hannerz, K. Ericson and G. Bergstrand . . . 505
Transluminal catheter angioplasty of abdominal aorta in Takayasu's arteritis
Z. M. Gu, G. Lin, J. R. Yi, J. M. Li, J. Zhou and W. M. Pan 509
Nine pheochromocytomas in the same patient—Final mapping with ultrasound and angiography
C. P. Nolsøe, L. T. Jensen, S. Torp-Pedersen, M. Rasmussen, N. Juel Christensen and H. H. Holm 515
Computed tomography in primary and secondary adrenal tumours
M. Päivänsalo, S. Lähde, J. Merikanto and M. Kallionen 519
Angiomyolipoma of the kidney—Comparison between magnetic resonance imaging, computed tomography, and ultrasonography for diagnosis
D. Uhlenbrock, C. Fischer and H. K. Beyer . . 523
Renal medullary cystic disease—Findings at urography and ultrasonography
A. Olsen, J. Hansen Højhus and G. Steffensen 527
Resectability of liver tumours evaluated by computed tomography
G. Tidebrant, L. O. Hafström, S. Topp and U. Tylén 531
Reliability of ultrasound-guided fine-needle biopsy of pancreatic masses
O. Ekberg, M. Bergenfeldt, P. Aspelin, S. Genell, K. Lindholm, P. Nilsson and S. Sigurjónsson 535
Hypoechoic lesions without halo in echogenic liver—A frequent sonographic dilemma
C. F. Hess, B. Kurtz, W. Grodd and A. Wolf . 541
Computed tomography and conventional radiography in intrathoracic metastases from non-seminomatous testicular tumor
H. H. Lien, L. Lindsköld, S. D. Fosså and N. Aass 547
Femoral anterversion and restricted range of motion in total hip prosthesis
K. Herrlin, H. Pettersson, G. Selvik and L. Lidgren 551
The vertical position of the patella—A new radiographic method for routine use
N. Egund, A. Lundin and N. O. Wallengren . 555
Lesion of the anterior cruciate ligament and sagittal disalignment of the knee in weight-bearing
N. Egund and T. Fridén 559
Chronic recurrent multifocal osteomyelitis in children—A roentgenologic and scintigraphic investigation

W. Mortensson, G. Edeburn, M. Fries and R. Nilsson 565
Correlation of macroscopic osteoarthrotic changes and radiographic findings in the acromioclavicular joint
B. Stenlund, O. Marions, K. F. Engström and I. Goldie 571
Sterno-costo-clavicular hyperostosis—A case report with a review of the literature
J. Hallas and K. P. Olesen 577
Radiography of pressure ulcers
P. S. Borgström, O. Ekberg and Å. Lasson . . . 581
Contrast medium induced changes in granulocyte adherence in vitro and during angiography
E. V. Lang and E. C. Lasser 585
Influence of radiographic contrast media on phagocytosis
F. Rasmussen, J. Georgsen and N. Grunnet . . 589
Effect of contrast media on whole blood filtrability—An in vitro comparative study of iohexol, iopentol and ioxaglate on rat blood
M. M. Le Mignon, M. Nain Dit Ducret, B. Bonnemain and A. M. Donadieu 593
Superparamagnetic particles as an MRI contrast agent for the gastrointestinal tract
M. Lönnemark, A. Hemmingsson, J. Carlsten, A. Ericsson, E. Holtz and J. Klaveness 599
Water-soluble contrast media compared with barium in enteric follow-through—Local effects and radiographic efficacy in rats with simple obstruction of the small bowel
F. Laerum, A. Stordahl and S. Aase 603
Bone mass determination from microradiographs by computer-assisted videodensitometry—II—Aluminium as a reference substance
P. Kälebo and K.-G. Strid 611
The condyle view—A scintigraphic projection of the knee
U. Rudberg, S.-O. Ahlbäck and J. Rydberg . . . 619
Abstracts of theses 621
Book reviews 624
Cysticercosis of the brain—The value of computed tomography
J. Almeida-Pinto, J. A. Veiga-Pires, A. Stocker, T. Coelho and L. Monteiro 625
Chemical shift selective magnetic resonance imaging of the optic nerve in patients with acute optic neuritis
H. B. W. Larsson, C. Thomsen, J. Frederiksen, O. Henriksen and J. Olesen 629
Cerebral panangiography in spontaneous subarachnoid hemmorrhage from intracranial aneurysms
P. Nakstad, H. Nornes, H. N. Hauge and O. Kjartansson 633
Lumbar myelography with iohexol—Adverse effects compared with spinal puncture
K. Nestvold and O. Sortland 637
Computed tomography of the lungs in acquired immunodeficiency syndrome—An early indicator of interstitial pneumonia
H. Hartelius, J. Gaub, L. Ingemann Jensen, J. Jensen and V. Faber 641
Intra-operative digital angiography as a control of the in situ saphenous vein by-pass grafts
M. Kehler, U. Albrechtsson, A. Alwmark, H. Lárusdottír, E. Ribbe, G. Svahn and J. Thörne . 645
Contact thermography as a screening test for deep venous thrombosis following major hip surgery
L. Kjær, S. Winter Christensen, Aa. Vestergaard, A. Bjerg-Nielsen and P. Wille-Jørgensen 649
Radiologic diagnosis in traumatic rupture of the right diaphragm—Report of a case
P. E. Nilsson, P. Aspelin, O. Ekberg and J. Senyk 653
Radiographic diagnosis of bile duct cysts—Retrospective analysis of thirteen cases
M. Päivänsalo, J. Merikanto, S. Lähde, S.-O. Hietala, A. Leinonen, P. Jouppila, P. Lohela and P. Lanning 657
Accuracy of radiologic and endoscopic diagnosis of duodenal ulcer
T. Gjørup, A. Agner, L. Bording Jensen and K.-M. Møllmann 661
Enteroclysis—Improved performance using a flow inducer
R. Goei, R. J. S. Lamers and J. J. H. Lamers . . 665
Glomerular filtration rate estimated after multiple injections of contrast medium during angiography
M. Boijsen, G. Granerus, L. Jacobsson, L. Björneld, M. Aurell and U. Tylén 669
Ultrasound in renal pyogenic infection—Imaging and intervention
T. Vehmas, M. Päivänsalo, M. Taavitsainen and I. Suramo 675
Unilateral hydronephrosis with congenital absence of contralateral kidney in children—Report of six cases and review of literature
C. Muren and I. Wikstad 679
Reliability of voiding colpo-cysto-urethrography in female urinary stress incontinence before and after treatment
P. Klarskov, P. Vedel Jepsen and S. Dorph . . . 685
Aspects of femoral neck anteversion
A. Høiseth, O. Reikerås and E. Fønstelien . . . 689
Femoral anteversion measured by ultrasonography and radiography—An anatomic investigation
S. Anda, T. Terjesen, S. Sundalsfoll and Å. Tangerud 695
Range of motion caused by design of the total hip prosthesis

K. Herrlin, G. Selvik, H. Pettersson and L. Lidgren 701
Bilateral femoral head dysplasia and osteochondritis—Multiple epiphyseal dysplasia tarda, spondyloepiphyseal dysplasia tarda, and bilateral Legg-Perthes disease
P. E. Andersen Jr, K. Schantz, J. Bollerslev and P. Justesen 705
Diagnostic value of stress radiography in lesions of the lateral ligaments of the ankle
J. Ahovuo, E. Kaartinen and P. Slätis 711
A scintimetric study of Colles' fracture—Comparison between cementation and closed treatment
A. Schmalholz and K. A. Alberts 715
Quantitative computed tomography in measurement of vertebral trabecular bone mass—A modified method
M. Nilsson, O. Johnell, K. Jonsson and I. Redlund-Johnell 719
Alteration of renal blood flow during sequential embolization of the canine kidney
D. P. Link, B. M. T. Lantz, M. Swanson and H. Tesluk 727
Effects on urine profiles of diatrizoate in hydrated and dehydrated rats—A double cross-over study
H. S. Thomsen, L. Hemmingsen, S. Dorph and P. Skaarup 731
Development of polyclonal and monoclonal antibodies to iodinated contrast media
R. L. Siegle, W. L. McGuire and J. E. Peters . 737
Effect of contrast media on beta-endorphin secretion—An in vitro study
P. P. Harnish, J. Zuniga, F. K. Nortington, P. A. Melrose, S. A. Joseph, D. K. Kido and K. M. Knigge 741
Blood lead levels in patients with lead shot retained in the appendix
H. H. T. Madsen, T. Skjødt, P. J. Jørgensen and P. Grandjean 745
Influence of acetabular component position in noncemented total hip arthroplasty—A radiologic and clinical study
A. Wykman, B. K. S. Sanjay, V. Söderlund and I. Goldie 746
ECG gating at angiography for calculation of arterial lumen volume
I. Berglund, S. Nilsson and C. Ytterbergh . . . 749
Multiple real time parallel section scans—A new sonographic principle
H. Jorulf, P. G. Lindgren and S. Troell 750
Book reviews 752